You start a trip. Za rul. no.6:7 Je '57. (MIRA 10:7)

1. Chlen byuro turistskoy sektsii TSentralinogo avtomotokluba.
(Automobiles--Touring)

s/054/60/000/02/03/021 B022/B007

AUTHORS:

Saulit, V. R., Unt, V. A.

Inhomogeneous Magnetic Fields for the Focusing of a

Divergent Beam of Charged Particles

TITLE:

Vestnik Leningradskogo universiteta. Seriya fiziki i khimii,

TEXT: In a previous paper by V. R. Saulit (Ref. 1) the focusing properties of an inhomogeneous magnetic field, which in the mirror symmetry plane or an innomogeneous magnetic rierd, which in the mirror symmetry prane depended only upon a Cartesian coordinate, were investigated. The general condition for the ideal formation of a plane beam of charged particles PERIODICAL: condition for the ideal focusing of a plane beam of charged particles was obtained in form of a nonlinear integral equation, the solution of which was found. In the present name the class of magnetic fields which was obtained in form of a nonlinear integral equation, the solution of which was found. In the present paper, the class of magnetic fields which nermits calculation of a plane hundle of charged particles without permits calculation of a plane bundle of charged particles without shows and without permits calculation of a plane bundle of charged particles without aberration and without numerical integration is shown, and calculation is aberration and without numerical integration of the formed of a hear of a plane of the formed of a hear of the formed on the same of the formed of a hear of the formed o duerration and without numerical integration 18 shown, and calculation 1 carried out for a special case. The scheme of the focusing of a beam of charged nerticles emitted by a noint source is size (Fig. 1). In Fig. carried out for a special case. The scheme of the locusing of a desm of the focusing of a desm of the charged particles emitted by a point source is given (Fig. 1). In Fig. 2, the results obtained by calculating the focusing magnetic field in the

charged particles emitted by a point source is given (Fig. 1). in Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by a point source is given (Fig. 1). In Fig. 1 the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted by calculating the focusing magnetic field in the charged particles emitted th

Card 2/2

Card 1/2

PELEASE: 04/03/2001 CIA-RDP86-00513R001858010

SAULIT, V.R.; UMT, V.A.

Inhomogeneous magnetic fields for focusing a divergent beam of charged particles. Vest.IGU 15 no.10:28-33 '60.

(MIRA 13:5)

(Magnetic fields)

24.4600

32212 s/139/61/000/004/001/023 E032/E514

AUTHOR:

Unt, V.A.

ALBERT, 1991 - FREEZ-BALTSCHEINER FREIKERER BESTEHE BETREHERE BETREHERE

TITLE:

Centrally-symmetric gravitational fields and continuity conditions in the general theory of

relativity

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Fizika,

no.4, 1961, 3-8

TEXT: The present author reports an analysis of the Lichnerowicz (Ref.1: Théories relativistes de la gravitation et de l'électromagnétisme, Paris, 1955) conditions in the case of centrally symmetric gravitational fields when the field source is in the form of a sphere of a perfect liquid having a constant It is shown that the Schwarzschild solution (Ref. 2: Sitzungsber, d. Preuss. Akad. d. Wissensch. 189, and 424,1916) is not consistent with the Lichnerowicz conditions. shown that it is a consequence of the Lichnerowicz conditions that all the non-zero components of the metric tensor are functions of the radius of the central body. The specific form of this functional dependence is determined by the Card 1/2

32212 Centrally-symmetric gravitational ... S/139/61/000/004/001/025 E032/E514

coordinate conditions. The present author obtains a general expression for the integration constant (in harmonic coordinates) which was assumed equal to zero by V. A. Fok (Ref. 3: The theory of space; time and gravitation, Moscow, 1955) and Belinfante (Ref. 4: Phys. Rev., 98, 793, 1955). This constant was previously obtained (in approximate form) by Meister and Papapetrou (Ref. 5. Z. Phys., 145, 403, 1956). In the case of a perfect liquid having a constant density the Papapetrou-Meister constant is identical with the zero-order approximation to this constant obtained by the present author. Acknowledgments are expressed to Professor Kh. P. Keres for his interest in this work. There are 5 references: I Soviet-bloc and 4 non-Soviet-bloc.

ASSOCIATION: Tartuskiy gosuniversitet (Tartu State University) SUBMITTED: February 16: 1960

Card 2/2

\$/058/62/000/007/008/068 A061/A101

AUTHOR:

Unt, V. A.

TITLE:

The Schwarzschild singularity

PERIODICAL:

Referativnyy zhurnal, Fizika, no. 7, 1962, 24, abstract 7A232 ("Tr. In-ta fiz. i astron. AN EstSSR", 1961, no. 16, 27 - 48;

English summary)

TEXT: The gravitational field properties of a material point M are investigated by considering the motion of freely falling experimental particles P with respect to local Galilean coordinate systems. It is shown that all experimental particles P must pass through the singular Schwarzschild surface R = 2α with the velocity of light and move inside this surface faster than light. In taking this fact into account, extending space into the region R < 2α , however, possible analytically, seems doubtful. Therefore, the author identifies the singular Schwarzschild surface with the material "point". It is also shown that Finkel'shteyn's (RZhFiz, 1959, no. 3, 4850) "particle" and "antiparticle" are not different particles.

[Abstracter's note: Complete translation]

Card 1/1_

UNTAN, C.

Public control of labor protection. Munca sindic [7] no.1:63 Ja '63.

1. Secretarul comitetului sindicatului de la Umina constructoare de masini, Resita.

UNTARU, M., ing.; CIMPEANU, V., ing.

Influence of the advance of ignition on the dinamic and economic qualities of motorcars. Rev transport 8 no. 8: 359-364 Ag '61.

UNTARU, M., conf. ing.; BOBESCU, Gh., ing.; CIMPEANU, V., asist. ing.

Influence of road conditions on the economic and dynamic efficiency of motor vehicles. Rev transport 9 no.5:185-186 My 162.

和**对对对对对对对对对对对对对对对对对对对对对对对对**的。

UNTARU, Mihai, conf. ing.; BORESCU, Gheorghe; CIMPEANU, Vasile,

Influence technical state of the rolling system on the motorcar economy. Rev transport 9 no. 11:490-493 N '62.

UNTARU, Marin, conf.; BOBESCU, Gheorghe; CIMPEANU, Vasile

Braking the motorcar with the engine. Rev transport 9 no.12:
543-545 D 162.

1. Sef lucrari (for Bobescu). 2. Asistent (for Cimpeanu).

UNTARU, Marin, ing.

Influence of the cooling system on the motorcar engine power and economy. Rev transport 10 no. 7:317-322 J1 '63.

UNTARU, Mein, conf. ing.

Possibility of increasing economy in automobiles by inproving the cooling system. Rev transport 11 no. 3: 111-114 Mr '64.

UNTARU, Marin, ing.; BOBECCU, Gheorghe, ing.; CIMPEANU, Vasile, ing., SEIIZ, Nicolae, ing.

Automation of the cooling in the SR-211 engine. Rev transport 12 no. 2:55-59 F 65.

L 30726-66 ACC NR AP6022118 SOURCE CODE: RU/0018/65/000/009/0506/0510 AUTHOR: Untaru, Marin 32 ORG: none Influence of the thermic conditions of engines on the economic efficiency TITLE: of cars SOURCE: Constructia de masini, no. 9, 1965, 506-510 TOPIC TAGS: heat balance, cooling, vehicle engine ABSTRACT: The author analyzes mathematically the extent to which the thermal equilibrium of the engine affects the efficiency of a car, and presents and discusses experimental results obtained in experimental cooling studies. Orig. art. has: 2 figures and 27 formulas. Based on author's Eng. abst. JPRS SUB CODE: 21, 20 / SUEM DATE: none / ORIG REF: 001 / SOV REF: 003

Card 1/1FV

UDC: 621.431.73.015:629.113.003

F-5

RUMANIA/Microbiology. Hemoglobinophillic Bacteria. Pathogenic Fungi and Actinomycetes

Abs Jour : Ref Zhur - Biol., No 14, 1958, No 6251L

: Popper M., Wolf A., Untecnu Gh. **Author**

Inst


: The Problem of Pulmonary Moniliasis Title

Orig Pub: Ftiziologia, 1957, 6, No 5, 387-395

Abstract : No abstract

: 1/1 Card

51




```
COESTANTIN, St., dr.; NICOLESCU, P., dr; BUNGETEANU, Gh., dr.; UNTEANU, Gh., dr.

Anatemo -clinical aspects of broncholithiasis. Med. int., Eucur. 11
no.11:1655-1664 M '59.

1. Lucrare efectuata in Institutul de ftisiologie si Spitalul
"Bernat Andrei", Bucuresti.
(BHONCHI, diseases)
(CALDULI)
(TUBERCULOSIS PULMOMARY, complications)
```

"APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1



UNTERBERGER, G.

SAMYLOV, P.; UNTERBERGER, G.

Improving production of grooved tiles. Stroi. mat. 4 no.1:27-28

Ja '58.

(MIRA 11:2)

REPORTED HELDER OF FOREST CONTROL OF THE PROPERTY OF THE PROPE

1. M. rektor Ne'yanskogo kombinata stroitel'nykh metarialov (for Samylov). 2. Glavnyy inzhener Sverdlovskogo oblastnogo upravleniya promyshlennosti stroitel'nykh materialov (for Unterberger).

(Tiles, Roofing)

ARTHUR BERGER FOR BELGER REFERENCE FOR THE FOREST SERVICE SERV

DLC: DK771.A3U6

UNTERBERGER, Pavel Fedorovich UNTERBERGER, Pavel Fedorovich. ... Friamurskii Krai. 1906-1919 go. Ocherk s 6 kertami, 21 tablitsei prilozhenii i s 55 risunkami na dvadtsti listakh. S.-Peterburg, 1912.

l p.l., xiii, (1), 428,53, (1) p. (Zapiski Imperatorskago Russkago geograficneskago obshchestva po Otdieleniiu statistiki. T. XIII ...)

So: IC, Soviet Geography, Part II, 1951/Unclassified

THE REPORT OF THE PARTY OF THE

UNTERBERGER, V.K.

Results of attracting wintering birds to the center of propagation of the pine stem borer (Panolis flammea Schiff.). Zool.zhur. 32 no.3:550-552 My-Je 153. (MLRA 6:6)

1. Thoperskiy gosudarstvennyy zapovednik. (Borers (Insects))

P USSR / General and Special Zoology. Insects. Insect

Abs Jour: Ref Zhur-Biol., No 12; 1958, 54364.

On the Fauna of Conifer-Damaging Insects of the Unterberger, V. K. Author Khoper Novekhoperskiy Leskhoz. Inst Title

Orig Pub: Tr. Khopersk, gos. zapovednika, 1956, vyp. 2, 144-

Abstract: In 1952-1953, 11 species of conifer-damaging pests were recognized. From this number the red-headed and the star-shaped web-spinning sawflies were discovered in the Khoper Reserve for the first time. The number of eggs and larvae of the red-headed Web-spinning sawfly was counted on standard trees. The article also gives information on the star-

Card 1/2

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1

USSR / General and Special Zoology. Insects. Insect and Mite Pests.

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54364.

Abstract: shaped web-spinning sawfly and on sawflies of the genus Gilpinia: G. virens, G. pallida, G. verticalis and G. frutetorum -- M. N. Kovaleva.

BEZUGLYY, S.F.; SARISHVILI, I.G.; LUKANINA, V.S.; POKROVSKIY, Ye.A.; UNTERBERGER, V.K.

地域的有限的特别的影响的表现的表现的,并且特殊是研究的对抗对抗性的关键,这个可以可以使用的现在分词,这一个可以不是一个一个一个一个一个一个一个一个一个一个一个一个

Investigation of the chemical stability of mineral oils and oil fractions and development of nonphytocidal emulsions based on them for controlling pests of citrus and other fruit cultures. [Trudy] NIUIF no.164:34-35 '59. (MIRA 15:5) (Insecticides)

POKROVSKIY, Ye.A.; UNTERBERGER, V.K.; DENISKINA, G.P.

Measures for controlling the San Jose scale. Zashch. rast.
ot vred. 1 bol. 5 no.1:27 Ja '60. (MIRA 14:6)

(San Jose scale)

UNTERBERGER, V. Ya.

"Ceramic Barriers for Mercury Rectifiers." Cand Tech Sci, Ural Polytechnic Inst, Sverdlovsk, 1953. (RZhKhim, No 22, Nov 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (11)

SO: Sum. No. 521, 2 Jun 55

PAHAITIDE, C., ing.; MARCU, Ch., ing; ICHLCCU, Gh.; PADU, N.; PAVII, I. VASILESCU, P., ing.; ROSE, A., ing.; PAVII, M., ing.; MIHAI, Gh.; SANDULESCU, M., ing.; AVACHIER, A., ing.; ANDLECCUICI, Gh., ing.; UNTERFINGER, E., ing.

New technology in combed cotton spinning for improving yarn quality. Ind text Num 14 no.10:448-450 S 163.

- 2. De la Institutul de cercetari textile (for Avachian, Andreicovici, Unterfinger).

UNTERMAN, H.W.

A characteristic reaction for identification of lactobionate of erythromycin. Rev chimie Min petr 14, no.5:301-302 My '63.

1. Fabrica de antibiotice - Iasl, Serviciul de cercetari.

UNTERMAN, H. W.

Spectrophotometric determination of phenoxymethylpenicillin in the fermentation liquid. Rev chimie Min petr 15 no.5: 283-285 My '64.

ATTINGTON PRODUCTION OF THE PRODUCTION OF THE PRODUCT OF THE PRODU

 Department of Research of the Factory of Antibiotics, Iasi.

NAMED OF THE PROPERTY OF THE P

UNTERMAN, Kh.V.

Spectrophotometric methods (in the ultraviolet and infrared fields) for the determination of antibiotics. Antibiotiki 10 no. 10:867-872 0 '65. (MIRA 18:12)

1. Issledovatel'skaya laboratoriya fabriki antibiotikov, Yassy, Rumyniya. Submitted October 19, 1964.

64908-65			
COURSION NR APSO23472		Johann Colonia de la Gradia	
UTHOR: Unterman, W. H.: Pac	etermination of osmaron in	osmatin unguent	
SOURCE: Revista de chimie,	v. 15, no. 11, 1964, 699		
TOPIC TAGS: spectrophotomet			
ABSTRACT: The spectrophotom involves extraction in ethyl millimitrans. The lift vacabasemple consist as if vacabaters are attention of the consist as a consist as a consist are attentions.	etric determination of Osa ene wivesi thi spectropint this is a sectropint a within the sector with a within the sector with	maron in Ommatic acese: omatev at landos cosso osciolos de landos cosso osciolos de landos de la cosso osciolos de la	G
BOTRACT: The spectrophotom involves extraction is ethyl cilimatorians. The infl sample consist us of various treatment. Orig. Art. lack.	etric determination of Osa ene wivesi thi spectropint this is a sectropint a within the sector with a within the sector with	aron in Osmatic Presert ometry at lamboa ari, Tasi (Factory of Antibiotics	G √ '
(BOTRACT: The spectrophotom involves extraction in ethyl cilimatorums. The infl sample consist us of various preatment. Orig. Art. Incl.	etric determination of Osa ene wivesi thi spectropint this is a sectropint a within the sector with a within the sector with	maron in Ommatic acese: omatev at landos cosso osciolos de landos cosso osciolos de landos de la cosso osciolos de la	G y

1112 - 1116 D '6	2.	antibictics. Anti		
1. Issledovat	el'skaya laborat	toriya, fabrika an	ntibiotikov (Yassy,	
Rumyniya). (PENIC		YCIN) (TETRACYCL	INE)	

UNTERMAN, L.; TOMA, R.

Some contributions to the problem of obtaining an intermediary product with high yields in the process of extracting chlortetracycline. p. 103.

REVISTA DE CHIMIE. Bucuresti, Rumania. Vol. 10, no. 2, Feb. 1959.

Sept. Monthly List of Eact European Accessions. (EEAI), LC. Vol. 8, no. 9, 1959. Uncl.

UNTERMAN, N.W.

Identification of nystatin by titanium tetrachloride. Rev chimie Min petr 13 no.10:618 0 '62.

1. Fabrica de antibiotice, Iasi, Serviciul de cercetari.

stabil: Tasi l	tative studies or ity of chlortetra no.2:379-384 ': viciul de cerceta i. (Iron) (Coba	69. Ari al Fabricii It) (Ions) utions) (Nich	de antibiot (Chlortetra	(EEAI 10:1 ice Iasi, Valea cycline) oper))
	(Water) (Sol (Manganese)	(Calcium)	Barium) (Magnesium)	
	٠				

Variati under 1 97-102	ion of pH in the process of the inactivation of chlortetracyclic the action of metallic chlorides. Studii chim Iasi ll no.l:

Country: Rumania

Academic Degrees: not given

Application: not given

Source: Bucharest, Farmacia, No 5, May 61, pp 297-301.

Data: "Calorimetric Determination of Erythromycin."


Co-author:

CRUCEANU, M. [Academic degrees and affiliations not given.]

FISEL, S.; UNTERMAN, W.H.

Paper chromatography and electrochromatography of certain cations in antibiotic solutions. Studii chim Iasi 12 no.2:187-197 61.

1. Academia R.P.R., Filiala Iasi, Institutul de chimie "P.Poni," Sectia de chimie anorganica.



UNTERMAN, W.H.

A new reaction for nystatin identification. Rev. chimie Min. petr. 12 no.8:504 Ag*61

1. Fabrica de antibiotice Iasi, Serviciul de cercetari.

THE RESIDENCE OF THE PERSON OF THE PROPERTY OF

UNTERMAN, W. H.; MIRONEANU, Th.

Influence of some antibiotics (polymyxin, neomycin, viomycin, erthromycin, lactobinate, nystatin) on the chromatographic and electrochromatographic migration of cations. Studii chim Iasi 13 no.1:59-66 62.

1. Servicul de cercetari al Fabricii de antibiotice, Iasi.

UNTERMAN, W.H.

Observations on the spectrophotometric determination of griseofulvin in the liquid of fermentation. Rev chimie Min petr 15 no.7:423
Jl '64

1. Research Section, Antibiotic Plant, Issi.

UNTERMAN, W.H.: PACULAR, T.

Spectrophotometric dosing of Genaron in the Genatin unguent.
Rev chimie Min petr 15 no.11:699 N '64.

1. Research Section, Antibiotic Plant, Iasi.

L 39127-66 ACC NR: AP6030352 SOURCE CODE: RU/0003/65/016/003/0166/0167 AUTHOR: Unterman, W. H.; Budai-Albu, Margareta; Idel, Ana; Rusan, M. ORG: Research Services, Antibiotics Factory, Iasi (Fabrica de Antibiotice, Serviciul cercetari) TITIE: Observations concerning the G-penicillin recovered from residual waters SOURCE: Revista de chimie, v. 16, no. 3, 1965, 166-167 TOPIC TAGS: penicillin, chemical precipitation, recrystallization, paper chromatography, spectrophotometric analysis ABSTRACT: The authors note that the penicillin G recovered by means of N, N-dibenzylethylenediamine salt from the mother liquor after precipitation of the mother product must be recrystallized in order to obtain a time-stable product free of foreign penicillins and decomposition products. To analyze the purity of the samples, they suggest spectrophotometric measurements of the absorption at 322 millimicrons as well as at 263 and 280 millimicrons in order to detect degradation products, and paper chromatography to detect foreign penicillins. Orig. art. has: 1 figure and 1 table. [Based on authors' Eng. abst.] [JPRS] SUB CODE: 07 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 003 Mal Card 1/1

ACC NR. AF6026617 ACC NR. AF6026617 AUTHOR: Unterman, HW. CRG: Research Services, Factory of Antibiotics, Iasi (Serviciul de cercetari, Fabrica de antibiotice) TITLE: Colorimetric determination of griscofulvin SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griscomulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griscofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. [Based on author's Eng. abst.] [JPRS] SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 Card 1/1 //// CRIS REF: 012	THE PROPERTY OF THE PROPERTY O
AUTHOR: Unterman, HW. CRG: Research Services, Factory of Antibiotics, Iasi (Servicial de cercetari, Fabrica de antibiotice) TITLE: Colorimetric determination of griscofulvin SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griscomulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griscofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. [Based on author's Eng. abst.] [JPRS] SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	L 31/898-66, T JK
AUTHOR: Unterman, HW. CRG: Research Services, Factory of Antibiotics, Iasi (Servicial de cercetari, Fabrica de antibiotice) TITIE: Colorimetric determination of griscofulvin SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griscofulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griscofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. Based on author's Eng. abst. TPRS SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	ACC NR: AP6026617 SOURCE CODE: RU/0003/65/016/005/0286/0287
Fabrica de antibiotice) TITIE: Colorimetric determination of griscofulvin SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griscomulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griscofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. [Based on author's Eng. abst.] [JPRS] SUB CODE: 07, 06 / SURM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002	
TITIE: Colorimetric determination of griscofulvin SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ARSTMACT: The author describes a colorimetric method for the determination of griscofulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griscofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. (Based on author's Eng. abst.) [JPRS] SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002	ORG: Research Services, Factory of Antibiotics, Total (5
SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287 TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griseofulvin, either as the pure substance or in tablets. The method is based on measurement of the yellow coloring formed by griseofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics without their prior removal. Orig. art. has: 2 figures and 1 table. Based on author's SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	Fabrica de antibiotice)
TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology ABSTRACT: The author describes a colorimetric method for the determination of griseo- fulvin, either as the pure substance or in tablets. The method is based on measure- ment of the yellow coloring formed by griseofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics with- out their prior removal. Orig. art. has: 2 figures and 1 table. Based on author's SUB CODE: 07. 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	TITLE: Colorimetric determination of griseofulvin
ABSTRACT: The author describes a colorimetric method for the determination of griseo- fulvin, either as the pure substance or in tablets. The method is based on measure- ment of the yellow coloring formed by griseofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics with- out their prior removal. Orig. art. has: 2 figures and 1 table. Based on author's Eng. abst. IPRS SUB CODE: 07. 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	SOURCE: Revista de chimie, v. 16, no. 5, 1965, 286-287
ABSTRACT: The author describes a colorimetric method for the determination of griseo- fulvin, either as the pure substance or in tablets. The method is based on measure- ment of the yellow coloring formed by griseofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics with- out their prior removal. Orig. art. has: 2 figures and 1 table. Based on author's Eng. abst. IPRS SUB CODE: 07. 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002 OTH REF: 012	TOPIC TAGS: chemical identification, antibiotic, colorimetry, pharmacology
Cord 3/1 774 (5	ABSTRACT: The author describes a colorimetric method for the determination of griseo- fulvin, either as the pure substance or in tablets. The method is based on measure- ment of the yellow coloring formed by griseofulvin with isonicotinic acid hydrazide in a warm alkaline medium, and can be used in the presence of other antibiotics with- out their prior removal. Orig. art. heg. 2 figures and 3 till the presence of other antibiotics with-
Card 1/1 7/1 (/ 5 UDC: 616.779.932;545.81	SUB CODE: 07, 06 / SUEM DATE: 09Jul64 / ORIG REF: 002 / SOV REF: 002
Card 1/1 7/1 (/ 5 UDC: 616.779.932:545.81	
Card 1/1 74 (5 UDC: 616.779.932;545.81	ļ.
UDC: 616.779.932;545.81	Gard 1/1 7/4/2 5
	00C: 616.779.932;545.81

Antibiotics

RUMANIA

615.779.932

MIRONEANU, Th., UNTERMAN, H. W., EISENFELD, J., and CHIRIAC, C., of the Factory of Antibiotics (Fabrica de Antibiotice), Iasi.

"An Improved Technique for Obtaining Sodium Benzylpenicillin."

Bucharest, Revista de Chimie, Vol 17, No 4, Apr 66, pp 230-231.

Abstract [Authors' English summary modified]: A description of an improved technique for the preparation of sodium benzylpenicillin. The method is based on the precipitation of penicillin from the primary organic extract resulting from the processing of the native solution with cyclohexamine; after the division of the raw basic salt in acid medium in an organic solvent, the desired product is precipitated with the aid of a methanolic sodium acetate solution. The method is simple and involves lower raw material consumption. combined with higher yields as compared to older techniques.

Includes one table, one flow chart and four references, of which one Rumanian, one Russian and 2 German.

ETERSOUTZ, 2.

The technique of wleding or slipways as lied in the construction of the FSP-Scoo TDW timber cargo ship. π_{\bullet} 312.

PROFESTION SPITALECTURA. (Stowerzyszenia Insusiers i Pachadkow Medianibus obsziers i Institut Sparalniotus) Marsassa, Polani. Vol. 11, no. 10/11, cet./cav. 1053.

Monthly List of Tant European Assession (REMI) MC, Vol. 9, 40. 2, Feb. 1959.

Thola.

ACCESSION NR: AP4031750

z/0034/64/000/004/0296/0296

AUTHOR: Unterschutz, Z. (Engineer); Naruszewicz, E. (Engineer); Knus, T.

TITIE: Method for cleaning slag and other impurities from metal surfaces and equipment for use with this method

SOURCE: Hutnicke listy, no. 4, 1964, 296

TOPIC TAGS: cleaning, weldability, electric arc, welding transformer, electric arc electrode, metal oxide

ABSTRACT: The invention permits the heat cleaning of a metal surface by an electric arc while at the same time removing slag and other impurities by a cleaning device forming one electrode of the electric arc, the other electrode being the metal surface to be cleaned. The invention is shown in diagram 1. Two plates 4 are set up on shaft 8. The drum formed in this way carries on the longitudinal rods 3 hooked up in its circuit the loosely attached plates 2 which are the working elements cleaning the metal surface 1. The required current is fed from welding transformer 5 via 9 to brush 6 and ring 7 which

Card 1/3

ACCESSION NR: AP4031750

is securely fixed to shaft 8. The other pole of the power supply is connected by conductor 10 directly to the metal part whose surface is to be cleaned. The alternating action of the electric arc makes possible rapid heat transfer which permits rapid separation and evaporation of the impurities and slag from the metal surfaces. Because the different substances have different rates of thermal expansion, they separate completely. Under the effect of high temperatures, metal oxides and other protective coatings are formed on the metal surfaces. This condition makes impossible the successive rewelding of the liberated impurities. [Complete translation]

ASSOCIATION: none

SUBMITTED: 07Jun61


28Apr64 DATE ACQ:

ENCL:

SUB CODE: MM

NO REF BOV: 000


OTHER:





untersee, v.

Geodetic method of determining dam deformations. p. 267. ACTA PHYSICA POLONICA. Warszawa. Vol. 12, No. 7, July 1956.

East European Accessions List (ECAL) Library of Congress Vol. 5, No. 11, August 1956.







UNTERSCHUTE, Z.

A method of automatic shielded-are welding of ship plates with wide joints and steel backing strips.

P. 149 (PEZEGLAD SPAWALNICTWA) (Marszawa, Poland) Vol. 9, no. 6, June 1957

SO: Monthly Index of East European Accession (EEAI) LC Vol. 7, No. 5. 1958

UNTERSHLYAG, G., inzh.

Machine for packaging groats. Muk.-elev. prom. 24 no.7:25 Jl 158. (MIRA 11:10)

1. Glavnoye upravleniye khlebour oduktov pri Sovete Ministrov AzerSSR.

(Packaging machinery)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1"


arrenda alle en service de la company de la		
CHUITAY	Humanie	1. To 18
	Cultivated Plants. Pototoes. Veretoeles.	
ARGI JOTTA :	Sugarbits 167 / No. 1679	
WORLD .	Diestle, A.	
	A valuable Oction Possibition of "Chekings de Melbuker" and lie agriculimial technique.	ŧ
orta, pub.,	Orodina, via al limas, 1058, 7, Mars, 20-17	
hasipace :	No abstract.	
		:
Carr:	1/1	

UNTILA, I.P.

Some biological characteristics of unripe seeds grown in nutrient solutions. Agrobiological no.2:211-215 Mr-&r '54.

(MIRA 17:6)

1. Veesoyuznyy nauchno-issledovatel skiy selektsionno-geneticheskiy institut, g. Odesas.



POLYAKOVA, N.M.; UNTINA, N.A.

Phosphoglucomutase in various sections and interstitial structures of the brain. Vop. med. khim. 7 no.5:524-527 S-0 '61. (MIRA 14:10)

1. The Institute of Biochemistry of the Academy of Sciences of the Ukrainian S.S.R., Kiev.
(BRAIN) (PHOSPHOGLUCOMUTASE)

KRUK, M.T., inzh.; UNTON, T.B., inzh.

Burning of gas in a furnace with low-pressure slotted burners. Energetik ll no.4:9-ll Ap '63. (MIRA 16:3) (Furnaces) (Boilers)


FARM CALLES OF STREET OF A LANGUAGE STREET OF STREET OF STREET

Untu, A.; Leonte, A.; Pintea, 3.

The influence of the microelements boron and premium on the mitelfication power of soils, p. 111.

LUSC MR CONTRIBUTION. (Institutul Agrenomic "Profesor Ion Ienesem de la Fred," Issi) Eucuresti, Aumania.

Monthly list of Eart European Accessions (SEAI) LT, Vol. 8, no. 2, Aug. 1959 Uncl.



APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1"

"APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1 E PERMITER HAN DE MAN DE MAN DE MAN DE PERMITER DE MAN DE LA COMPANIE DEL COMPANIE DE LA COMPANIE DE LA COMPANIE DEL COMPANIE DE LA COMPANIE DEL COMPANIE DEL COMPANIE DE LA COMPANIE DEL COMPANIE DE LA COMPANIE DEL COMPANIE DEL COMPANIE DEL COMPANIE DEL COMPANIE DE LA COMPANIE DEL COMP

Rumania/Soil Science. Physical and Chemical Properties of JSoils

Abs Jour : Ref Zhur-Biol., No 13, 1958, 58290, By P. Sh

: Pintea C., Leonte Angela, Untu Aurelia Author

Inst : Not given

Title : Dynamics of Phosphates in Podzol Soils

: Probl. agric., 1956, 8, No 10, 29-37 Orig Pub

Abstract : Results of the investigations conducted at the

Yassk Agrochemical Laboratory to determine the content of mobile forms of P in soils and their dependence on the mechanical composition of the soils, their water regimen, the reaction of the soil solutions, the periods of introduction of phosphate fertilizers into the soil, and the

quantities of the fertilizers used are presented.

Card 1/1

8

种的基础和可能是经验的基础的,并不是一种的工作,这个人的工作的,我们也不是一个人的工作,这个人的一个人的工作,这个人的工作,这个人的一个人的一个人的一个人的一个人

PINTEA, C.; TARNAUCEANU, E.; UNTU, A.; CIUREA, G.; LEONTE, A.

Efficiency of combined microelements applied to corn, sunflowers, and sugar beets. Studii biol agr Iasi 13 no.2:349-358 '62.

UNT	u, r.; untu	, C.			
	conduct: 23 <i>5</i> -239	electric and mechanica ors: preliminary note. '59. (Electric conductors)	Studii fiz tehn Ias	Some aluminum si 10 no.2: (EEAI 9:9)	
	·	(210colic commectors)	(Attuations)		

UNTU, C.; ZERVUDIS, C.; UNTU, R.

Contributions to the study of the domestic building materials; preliminary note: study of the clay of Valea Lupului, district of Iasi. Studii fiz tehn Iasi 10 no.2:241-249 '59. (EEAI 9:9) (Rumania--Building materials) (Clay)

是是我们的时候就是是我们的时候,这时间是我们的时候,我们们的时候就是这种的时候,这个人就是我们的时候,这个人的时候,我们就是这种的时候的时候,我们们的时候,我们

 conductor	ectric and mes: prelimina	echanical ry note.	characterist Studii fiz te	hn Iasi 10 n	0.2:	
235 - 239 • (F	59. Nectric cond	uctors)	(Aluminum)	(E	EAI 9:9)	

UNTU, C.; ZERVUDIS, C.; UNTU, R.

Contributions to the study of the domestic building materials; preliminary note: study of the clay of Valea Lupului, district of Iasi. Studii fiz tehn Iasi 10 no.2:241-249 '59. (EEAI 9:9)

(Rumania--Building materials) (Clay)

UNTU, R.

Roonomic aspects of the prefabricated part production. Problems each 16 no.6:46-57 Js '63.

LEIEBIN, P.I.; UNUCHEK, A.I.

Fliter for the purification of tanning mixtures. Kozh.-obuv. prom. 7 no.5136-37 My 165.

(MIRA 18.8)

L 02470-05 (MT(1), FOC %

ACCESSION HR: AT5019691

UR, 2667/64/000/025/0058/0071

AUTHOR: Unukov, V. I. (Candidate of geographical sciences)


TITLE: The relationship between the vertical wind gradients and uppermost layer clouds

SOURCE: Moscow. Nauchno-issledovatel'skiy institut aeroklimatologii. Trudy, no. 25, 1964. Voprosy aviatzionnoy klimatologii (Problems in aviation climatology), 58-71

TOPIC TAGS: uppermost layer cloud, vertical wind cloud, wind gradient, cloud formation 12,55

ABSTRACT: Lately, the uppermost layer clouds have been in the center of increased interest (see, e.g., A. M. Baranov, Meteorologiya i gidrologiya, no. ., 1958; R. G. James, Met. Off., Prof. Notes, no. 123, 1957; R. J. Murgatrovd, P. Goldsmith, Prof. Notes. Met. Off., London 7, no. 119, 1956). The present paper is based on data collected by aircraft probes during 1958 and 1959 and by 16 temperature wind probing stations on the European territory of the Soulai Union. It investigates relationships between the vertical wind gradient in the upper troposphere and the clouds within the uppermost layer. Cases are utilized for which the vertical size

Card 1/2



L 32654-66 EWT(1)/FCC ACC NRI (N) AT6017316 SOURCE CODE: UR/2546/65/000/143/0003/0023 AUTHORS: Dubentsov, V. R.; Unukova, A. A. 33 B ORG: none* TITLE: Some distributional features of temperature and the zonal components of wind in the stratosphere over the northern and central parts of the Pacific Ocean SOURCE: Moscow. Tsentral'nyy institut prognozov. Trudy, no. 143, 1965. Stroyeniye troposfery i stratosfery i vzaimosvyaz' tsirkulyatsii Severnogo i Yuzhnogo Polushariy (Structure of the troposphere and stratosphere and interrelation of the circulations of the Northern and Southern Hemispheres), 3-23 TOPIC TAGS: atmospheric circulation, wind, stratosphere, atmospheric temperature ABSTRACT: The temperature distribution and zonal components of the wind in the stratosphere over the equatorial, western, and northern parts of the Pacific Ocean and also over Alaska were studied. A well-defined biennial cyclicity (averaging 25-26 months) was established for the 17-30 km layer of the equatorial stratosphere. The eastern component generally increases with height; the western component decreases. The actual velocity of each commonent increases with height. The wind components become more complex northward (7-14° N lat), but the eastern component is much stronger than the western. The maximum eastern component occurs in summer, with the value in winter markedly less. In this zone the annual cycle Card 1/2

HENNING HER BERKER DE SELEKTIONE EN DE SELEKTION DE LE SELEKTION DE SE SELEKTION DE SELEKTION D


L 32654-66

ACC NR: AT6017316

becomes appreciable. In the zone from 24 to 30° N lat, the lower stratosphere exhibits an annual cycle of wind variation. In the 20-36 km layer the eastern trend is dominant. Western currents are observed at these heights only when the biennial western trend of the lower latitudes appears. The biennial trend may be detected only to 300 N lat; in the temperate zone to the north it is missing. From 35 to 45° N lat, the western direction is dominant (at 100 and 80 mb), with a pronounced annual cycle, maximum velocity in winter, and minimum in summer. The western trend is dominant in the temperate zone (about 55° N lat) at the 80-mb surface. Above the 50-mb surface, an eastern current appears. At higher latitudes (60-70°), beginning at the 100- and 80-mb surfaces, an alternation of eastern and western components of wind is noted. Velocity of the western component gradually increases with height. This is due to the position of the westerly stratospheric jet stream, which lies on the northern edge of the zone and is felt most strongly there. The change from westerly to easterly circulation in the high latitudes begins before the change in lower latitudes. The annual behavior of temperature in the lower equatorial stratosphere and in high latitudes is approximately the same as in the troposphere. In the middle latitudes, the temperature in the lower stratosphere is somewhat less in summer than in winter. At 26-28 km and higher in the middle and high latitudes, two maximums (summer and winter) and two minimums (spring and fall) are noted in the temperature. In the lower stratosphere (100 and 50 mb), the horizontal temperature gradient is from north to south in the low and middle latitudes, but is reversed in higher latitudes. Orig. art. has: 7 figures and 3 tables.

SUB COIE: 04/ SUBM DATE: none/ ORIG REF: 008/ OTH REF: 008

Cord 2/2 BLG



UNYI, B.

"Subgraveling", P. 370, (KOZLEKEDESTUDOMANYI SZEMLE, Vol. 3, No. 10, Oct. 1953, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No.12, Dec. 1954, Uncl.

UNYI, E.

*Soil so idification works conducted by State Railways." Melyepitestudomanyi Szemle, Budapest, Vol. 4, No. 6, June 1954, p. 321.

SO: Eastern European Accessions List, Vol. 3, No. 11, Nov. 1954, L.C.

UNYI, B.

UNI, B. Experiences in planned preventive maintenance of track by the Pecs District Railway Management. p. 130

Vol. 5, No. 11, Nov. 1955 Budapest, Hungary KOMIEREDESTUDO: ALTI SZENIE

SO: Monthly List of East European Accession, (EMAL), MC, Vol. 5 No. 3, March, 1956

UNYI, B.

Problems of the application of jointless railroad structures in Hungary. p.28

KOZLEKEDESTUDOMANYI SZEMLE. (Kozlekedes- es Kozlekedesepitestudomanyi Egyesulet)
Budapest, Hungary
Vol. 9, no.1/2, Jan./Feb. 1959


医医胃内膜 经国际保险证明的不可以证明的证明的表现,这个有关证明的,但是是不是一个人的,但是是不是一个人的,不是一个人的,不是一个人的,但是不是一个人的,但是不


Monthly List of East European Accessions (EEAI) LC., Vol. 8, no.7, July 1959 Uncl.


CONTROL OF THE STATE OF THE STA

UNYI, Bela

More and more jointless rails are made. Vasut 8 no.2:
19 15 Mr *58.







UNYI, Bela, dr.

Newer development in shovel packing works. Vasut 12 no.12:6-7 D '62.

UNYI, Bela, dr., a muszaki tudomanyok kandidatusa

Some aspects concerning the construction and maintenance of railroad tracks for high speed. Kozl tud sz 13 no.1:29-35 Ja 63.

1. Kozlekedes- es Postaugyi Miniszterium I. Vasuti foosztalyaban foeloado.

UNYI, Bela, dr., a muszaki tudomanyok kandidatusa

Adjusting the position of railroad tracks by underplating.
Vasut 13 no.4:27-30 Ap *63.

POST ALBERTA DE L'ARTE DE

UNYI, Bela, dr., a muszaki tudomanyok kandidatusa, foeloado

Application of showel packing and the method of underplating in jointless rail constructions. Mozl tud sm 13 no.11:482-491 Nº63

1. Kozlekedes- es Postaugyi Miniszterium I. Vasuti Foosz-talya.

UNYI, B., Kandidat der technischen Wissenschaften; KERKAPOLY, E.

Welding of switches into jointless railway tracks. Acta techn Hung 44 no.1/2:51-72 *63.

1. Ministerium fur Verkehrs und Postwesen, Budapest (for Unyi). 2. Lehrstuhl fur Eisenbahnbau und -Betrieb, Technische Universität fur Bau- und Verkehrswesen, Budapest (for Kerkapoly).

UNYI, Bela, dr. Construction of the new Tokaido railway in Japan. Vasut 14 no. 2: 20-21 F '64.

UNYI, Bela, dr.

Prevention and consequences of certain defects in the maintenance of jointless tracks. Vasut 14 no. 4:23-25 Ap 164.

UNYI, Bela, dr., a musical telemanyok kendidatuan, foologic

Problems relative to the aligner to railways tracks with the view of introducing higher running speed. Nozi this z 14 no. 7:307-312 Jl '64.

1. No. 1 Department of Railways, Ministry of Transportation and Postal Affairs, Budapest.

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1"

14(6) SOV/112-59-1-483

Translation from: Referativnyy zhurnal. Elektrotekhnika, 1959, Nr 1, p 63 (USSR)

AUTHOR: Unyushin, M. V.

TITLE: Concrete Work in High-Dam Construction in Italy

PERIODICAL: V sb.: Energ. str-vo. Vol 2, M.-L., 1958, pp 76-79

ABSTRACT: Bibliographic entry.

Card 1/1

KRUDRNA, Milan; UNZEITIG, Jan

Experience withdesigning the rubber tube pump. Chem prum
12 no.3:139-141 Mr '62.

1. Vyzkumny ustav syntetiekyah pryskyric a laku, Pardubice.

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001858010016-1"


Į,


British Abst.

A I

Aug. 1953
Chomical Equilibria and Kinetics

The disposed strike of hydroxides and chlorides of privation and disposed and Bindrad scalars adapted of four binary systems, two disposed and Bindrad scalars adapted of four binary systems, two disposed of the system KLHOLLO. The area of the foundary is divided into fine system KLHOLLO. The area of the foundary is divided in the bindrad skiller in the strike in the system of the system (KLHOLLO. The pract of the foundary is divided in the strike graded collection of the system (KLHOLLO. The pract of the system (KLHOLLO. The pract of the foundary is divided in the strike graded collection of the system (KLHOLLO. The pract of the system) (KLHOLLO. The pr





UNZhaKov, G.M.									
					* ·				
		US	S. I. , Manch. (1931); liquidin had 0 cr	rocal system of po crildes. G. M. Istichocata: Inst. Referut. Thur., I diagram of the reci yetn. fields, 4 of whi ere of compds. KO	12sium end sedium. [Inzlinke] Isseri. Fruits, Univ. 2, No. Aim. 1953, No. 40 procal system Na., K ch were those of the ce H-KBr and NaOH-N cetic: 170 and 250? M	ydroxides id-Khim, 1, 10-13 175.—The OH, Br milements			
	Shrevin hasaaa ka pa p		the o tri	pie points 2 wore en	ectic: 170 and 250°.	Hoseh	<i>'</i>		
		•			**************************************	er	and the state of t		
					•				
• . , :									
					·				

地名美国西班牙克尔 医克里氏 化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	
UNZHAKOV, G. M.	
	Ermange reaction. halides G. M. Uerhale and Town. Irkutsk belong to the control of an interest of the control